in accordance with manual of tests and criteria

7. revised edition, amendment 1, subsection 38.3.5

N/A = Not Applicable

Name/Description of battery							
1a. Name/Desc	ription of the cells inside t	the battery					
The test summary of the cells inside the battery must either be presented or under checkpoint 9 and 9a it must be confirmed that the UN 38.3 test summary for the cells is available.							
2. Manufacture	er of battery						
Name							
Address							
Phone							
Email							
Website							
	er of the equipment (if the t	battery is contained in equipment)					
	Name Name						
Address Control of the Control of th							
Phone							
Email							
Website							
3. Test laborate	ory of battery						
	Name						
Address	Address						
Phone							
Email							
Website	Website						
4. ID number a	nd date						
Unique test repo	Unique test report identification number  Date of test report						

Page 1/4

Version 1/2023 © This form was provided by www.lithium-battery-service.com

in accordance with manual of tests and criteria 7. revised edition, amendment 1, subsection 38.3.5

Name/Description of battery (taken from field 1)	

### **DESCRIPTION OF BATTERY**

<ol> <li>Mark the type of battery with an "•"</li> <li>Note: Single cell batteries (1S1P) are treated as cells, i.e. using this logistic information form is correct.</li> </ol>							
	Lithium ion battery	Lithium metal battery					
	Lithium hybrid battery						
6. Pa	arameters						
Weig	<b>ht</b> of the battery in gram (g) or kilogram (kg)						
Lithiu	m ion: Nominal energy in Watt-hours (Wh) or kilo Watt-	hours (kWh)					
Lithiu	Lithium metal: Lithium metal content in gram (g) or kilogram (kg)						
	<b>m hybrid:</b> Nominal energy in Watt-hours (Wh) or kilo W thium metal content in gram (g) or kilogram (kg)	(att-hours (kWh)					
7. PI	nysical description of battery						
8. M	odel numbers						

### **TESTS AND RESULTS**

9. List of tests conducted and results - Mark N/A, pass or fail with an "●"	N/A	pass
T1 - Altitude simulation		
T2 - Thermal Test		
T3 - Vibration		
T4 - Shock		
T5 - External Short Circuit		
T6 - Impact - for cylindrical cells having a diameter of at least 18 mm See check point 1a and 9a.		
T6 - Crush - for prismatic cells, pouch cells, button cells and cylindrical cells having a diameter of less than 18 mm. See check point 1a and 9a.		
T7 - Overcharge		
T8 - Forced Discharge, only valid for cells. See check point 1a and 9a.		



in accordance with manual of tests and criteria 7. revised edition, amendment 1, subsection 38.3.5

Name/Description of battery (taken from field 1)

9a.UN 38.3 Test Confirmation for the Cells inside the battery When no separate document for the cells is provided, this confirms that the cells inside the battery (see checkpoint 1.a.) have successfully passed the UN 38.3 test. In this case under checkpoint 9 the T.6 and T.8 must be marked as "passed" and here under 9.a. "Cell UN 38.3 Test confirmed" needs to be ticked.		Cell UN 38.3 Test confirmed	Cell UN 38.3 Test NOT confirmed	
	,			

10. Reference to assembled battery testing requirements				
	N/A			

11. Reference to the revised edition of the Manual of Tests and Criteria used and to amendmen	ts thereto	

### ADDITIONAL SUPPLIER INQUIRY

current flow (e.g. diodes, fuses, etc.)?

12. Quality management system for manufacturing batteries  Does the manufacturer of the battery manufacture the products based on a documented quality management system according to transport regulations?			NO	
13. Are the following parameters exceeded?  Lithium ion battery: more than 100 Wh  Lithium metal battery: more than 2 g Lithium  Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh		YES	NO	
Check point 14 – 16 need to be answered when 13 has been ticked "YES":				
<b>14.</b> Does each battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?		YES	NO	
15. Is each battery equipped with an effective means of preventing external short circuits?		YES	NO	
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse		YES	NO	

in accordance with manual of tests and criteria 7. revised edition, amendment 1, subsection 38.3.5

Name/Description of battery (taken from field 1)	
	1

### BATTERIES INSTALLED IN EQUIPMENT

17. Check point 17 needs to be answered when the batteries are installed in articles:				
17.a) Only button cells enclosed?		NO		
17.b) Number of enclosed batteries per equipment				
When the equipment is intentionally active/switched on during transport e.g. data loggers:				
17.c) Confirmation that no dangerous amount of heat is emitted from the equipment N/A YES			NO	
17.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160		NO		

18. Place, Date	19. Name and title of the responsible person